

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	 Industrial For professional use only Liquid leak detector to be used on external surfaces only. Optimum operating temperature are between -65 °F and 200 °F (-54 °C and 93 °C). For professional use only.
Product name 1.2. Relevant identified uses of the substance 1.2.1. Relevant identified uses Industrial/Professional use spec Use of the substance/mixture 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data Swagelok 29495 F.A. Lennon Drive 44139 Solon, OH United States T 440-349-5600 - F 440-519-3304	 Real Cool Snoop ce or mixture and uses advised against Industrial For professional use only Liquid leak detector to be used on external surfaces only. Optimum operating temperature are between -65 °F and 200 °F (-54 °C and 93 °C). For professional use only.
 1.2.1. Relevant identified uses Industrial/Professional use spec Use of the substance/mixture 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data Swagelok 29495 F.A. Lennon Drive 44139 Solon, OH United States T 440-349-5600 - F 440-519-3304 	 Industrial For professional use only Liquid leak detector to be used on external surfaces only. Optimum operating temperature are between -65 °F and 200 °F (-54 °C and 93 °C). For professional use only.
Industrial/Professional use spec Use of the substance/mixture 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data Swagelok 29495 F.A. Lennon Drive 44139 Solon, OH United States T 440-349-5600 - F 440-519-3304	For professional use only : Liquid leak detector to be used on external surfaces only. Optimum operating temperature are between -65 °F and 200 °F (-54 °C and 93 °C). For professional use only. a sheet Distributor Swagelok Australia 42 Metrolink Circuit
Industrial/Professional use spec Use of the substance/mixture 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data Swagelok 29495 F.A. Lennon Drive 44139 Solon, OH United States T 440-349-5600 - F 440-519-3304	For professional use only : Liquid leak detector to be used on external surfaces only. Optimum operating temperature are between -65 °F and 200 °F (-54 °C and 93 °C). For professional use only. a sheet Distributor Swagelok Australia 42 Metrolink Circuit
Use of the substance/mixture 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data Swagelok 29495 F.A. Lennon Drive 44139 Solon, OH United States T 440-349-5600 - F 440-519-3304	For professional use only : Liquid leak detector to be used on external surfaces only. Optimum operating temperature are between -65 °F and 200 °F (-54 °C and 93 °C). For professional use only. a sheet Distributor Swagelok Australia 42 Metrolink Circuit
 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data Swagelok 29495 F.A. Lennon Drive 44139 Solon, OH United States T 440-349-5600 - F 440-519-3304 	 Liquid leak detector to be used on external surfaces only. Optimum operating temperature are between -65 °F and 200 °F (-54 °C and 93 °C). For professional use only. a sheet Distributor Swagelok Australia 42 Metrolink Circuit
No additional information available 1.3. Details of the supplier of the safety data Swagelok 29495 F.A. Lennon Drive 44139 Solon, OH United States T 440-349-5600 - F 440-519-3304	Distributor Swagelok Australia 42 Metrolink Circuit
1.3. Details of the supplier of the safety data Swagelok 29495 F.A. Lennon Drive 44139 Solon, OH United States T 440-349-5600 - F 440-519-3304	Distributor Swagelok Australia 42 Metrolink Circuit
Swagelok 29495 F.A. Lennon Drive 44139 Solon, OH United States T 440-349-5600 - F 440-519-3304	Distributor Swagelok Australia 42 Metrolink Circuit
29495 F.A. Lennon Drive 44139 Solon, OH United States T 440-349-5600 - F 440-519-3304	Swagelok Australia 42 Metrolink Circuit
29495 F.A. Lennon Drive 44139 Solon, OH United States T 440-349-5600 - F 440-519-3304	Swagelok Australia 42 Metrolink Circuit
44139 Solon, OH United States T 440-349-5600 - F 440-519-3304	42 Metrolink Circuit
United States T 440-349-5600 - F 440-519-3304	
T 440-349-5600 - F 440-519-3304	Campbellfield, VIC 3061
	+61 3 9303 2100
1.4. Emergency telephone number	
Emergency number	: Infotrac: North America: 1-800-535-5053 International: 1-352-323-3500
2.1. Classification of the substance or mixtu Classification according to Regulation (EC) No. 12 Acute toxicity (oral) Category 4	272/2008 [CLP] H302
Serious eye damage/eye irritation, Category 2 Full text of H- and EUH-statements: see section 16	H319
Adverse physicochemical, human health and envi	ironmental effects
No additional information available	
2.2. Label elements	
Labeling according to Regulation (EC) No. 1272/20	008 [CLP]
Hazard pictograms (CLP)	: GHS07
Signal word (CLP)	: Warning
Contains	: 1.2-Ethanediol
Hazard statements (CLP)	: H302 - Harmful if swallowed.
	H319 - Causes serious eye irritation.
Precautionary statements (CLP)	 P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

contact lenses, if present and easy to do. Continue rinsing. P330 - Rinse mouth. P337+P313 - If eye irritation persists: Get medical advice/attention. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2-Ethanediol	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1	0.1 – 60	Acute Tox. 4 (Oral), H302
D-Glucopyranose, oligomeric, decyl octyl glycosides	CAS-No.: 68515-73-1 EC-No.: 500-220-1	0.1 – 1	Water-react. 3, H261 Eye Dam. 1, H318
D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	CAS-No.: 110615-47-9 EC-No.: 600-975-8	0.1 – 1	Water-react. 3, H261 Skin Irrit. 2, H315 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	 Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects after inhalation	: Prolonged exposure may cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause irritation.
Symptoms/effects after eye contact	: Contact causes severe irritation with redness and swelling of the conjunctiva.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after ingestion	: This material is harmful orally and can cause adverse health effects or death in significant amounts. Acute exposure of humans to ethylene glycol by ingesting large quantities causes three stages of health effects. CNS depression, including such symptoms as vomiting, drowsiness, coma, respiratory failure, convulsions, metabolic changes, and gastrointestinal upset are followed by cardiopulmonary effects and later renal damage.
Chronic symptoms	: May cause damage to organs through prolonged or repeated exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or SDS at hand.

SECTION 5: Firefighting measu	res
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	ne substance or mixture
Fire hazard	: Not considered flammable but may burn at high temperatures.
Explosion hazard	: Product is not explosive.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures			
6.1. Personal precautions, prote	5.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Hazardous Combustion Products: Carbon oxides (CO, CO2). Nitrogen oxides Avoid breathing (dust, vapor, mist, gas).		
6.1.1. For non-emergency personnel	I		
Protective equipment	: Use appropriate personal protection equipment (PPE).		
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Equip cleanup crew with proper protection.		
Emergency procedures	: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.		

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

thods and material for containment and cleaning up	
: For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal.	
: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.1. Precautions for safe handling	
Additional hazards when processed	: Handle in accordance with standard industrial practices, and ensure appropriate ventilation Avoid all contact with skin, eyes, clothing. Do not release into the environment.
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing vapors or mist.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash your hands thoroughly after handling.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
ncompatible products	: Strong bases. Strong acids.
ncompatible materials	: Sources of ignition. Direct sunlight.

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

1,2-Ethanediol (107-21-1)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethylene glycol
ACGIH OEL TWA	10 mg/m³
Remark (ACGIH)	URT & eye irr

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

Other skin protection

Materials for protective clothing: Impervious clothing

8.2.2.3. Respiratory protection

Respiratory protection:

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Dhyriad state	. Linuid
Physical state	: Liquid
Color	: Colorless.
Odor	: mild.
Odor threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 387 °F (197.22 °C)
Flammability	: Non flammable.
Explosion limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 230 °F (> 110 °C) Closed Cup
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: 6 – 7.5
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapor pressure	: Not available
Vapor pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.1
Relative vapor density at 20°C	: Not available
Particle characteristics	: Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity (oral) : Harmful if swallowed. Acute toxicity (dermal) Not classified : Acute toxicity (inhalation) : Not classified Real Cool Snoop ATE CLP (oral) 833.333 mg/kg body weight 1,2-Ethanediol (107-21-1) LD50 oral rat 4700 mg/kg LD50 dermal rabbit 9350 µl/kg Skin corrosion/irritation : Not classified pH: 6 – 7.5 Serious eye damage/irritation : Causes serious eye irritation. pH: 6 – 7.5 Respiratory or skin sensitization : Not classified Germ cell mutagenicity Not classified Not classified Carcinogenicity · Reproductive toxicity : Not classified STOT-single exposure : Not classified 1,2-Ethanediol (107-21-1) NOAEL (oral,rat) 4700 mg/kg body weight

Safety Data Sheet

STOT-repeated exposure	: Not classified
Additional information	: May cause damage to organs through prolonged or repeated exposure
Aspiration hazard	: Not classified
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
No additional information available	
11.2.2. Other information	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met, Harmful if swallowed
SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term	: Not classified
(acute) Hazardous to the aquatic environment, long–term	: Not classified
(chronic)	
D-Glucopyranose, oligomeric, decyl octy	l glycosides (68515-73-1)
LC50 - Fish [1]	170 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
12.2. Persistence and degradability	
Real Cool Snoop	
Persistence and degradability	Not established.
1,2-Ethanediol (107-21-1)	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Real Cool Snoop	
Bioaccumulative potential	Not established.
1,2-Ethanediol (107-21-1)	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessme	nt
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	

Additional information

: Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to meet all regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
In accordance with ADR / IMDG / IATA / ADN / RID	
14.1. UN number or ID number	
UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (ADN) Proper Shipping Name (RID)	: Not applicable
	. איטי מאטוויסטוכ
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: Not applicable
MDG	
Transport hazard class(es) (IMDG)	: Not applicable
ATA	
Transport hazard class(es) (IATA)	: Not applicable
ADN	
Transport hazard class(es) (ADN)	: Not applicable
RID Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea

Not applicable

Air transport Not applicable

Inland waterway transport Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances.

REACH Candidate List (SVHC)

Contains no REACH candidate substance

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

France

Professional diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	
Germany		
Water hazard class (WGK)		: Not classified according to Regulation Governing Systems for Handling Substances Hazardous to Waters (AwSV).
Hazardous Incident Ordinance (12. BImSchV)		: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands		
SZW-lijst van kankerverwekkende stoffen		: None of the components are listed
SZW-lijst van mutagene stoffen		: None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding		: None of the components are listed
SZW-lijst van reprotoxische stoffen –		: None of the components are listed
Vruchtbaarheid		
SZW-lijst van reprotoxische stoffen – Ontwikkeling		: None of the components are listed

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information

: None.

Full text of H- and EUH-phrases:		
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
H261	In contact with water releases flammable gas.	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Water-react. 3	Substances and mixtures which in contact with water emit flammable gases Category 3	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.